

HUDSON

MATERIAL SAFETY DATA SHEET

DATE PREPARED: 11/26/2002

MSDS No: DE-3

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Diamond Extender 1 pint container**PRODUCT CODE:** DE-3**MANUFACTURER**

Hudson Supply Company

4500 Lee Rd

Cleveland, OH 44128-2959

Customer Service: (800) 486-0480**24 HR. EMERGENCY TELEPHONE NUMBERS****CHEMTREC (U.S.):** (800) 424-9300**Emergency Phone:** (800) 424-9300

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt. %</u>	<u>CAS#</u>
Polyglycol Ether		

COMMENTS: No hazardous materials present, as defined by OSHA 29 CFR 1910.1200 (Hazard Communication), OSHA 29 CFR 1910.1000 (Air Contaminants), or ACGIH (TLVs for Chemical Substances). IARC, NTP, OSHA CARCINOGENS: N/A. SARA TITLE III SECTION 313 TOXIC RELEASE INVENTORY (TRI) CHEMICALS: N/A

3. HAZARDS IDENTIFICATION

POTENTIAL HEALTH EFFECTS**EYES:** None Expected.**SKIN:** None Expected.**SKIN ABSORPTION:** None Expected.**INGESTION:** None Expected.**INHALATION:** None Expected.**ACUTE EFFECTS:** None Expected.

4. FIRST AID MEASURES

EYES: Flush with water, lifting upper and lower lids.**SKIN:** Wash thoroughly with soap and water.**INGESTION:** No harmful effects expected.**INHALATION:** Remove individual to fresh air.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: (260°F) Penskey-Marten CC

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

EXPLOSION HAZARDS: NA = Not Applicable

FIRE FIGHTING PROCEDURES: NA = Not Applicable

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and carbon dioxide due to burning.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Take up liquid on absorbent material and transfer to exhaust hood, allowing volatile portion to escape. Place absorbent material and residue into closed container for disposal.

LARGE SPILL: Take up liquid on absorbent material and transfer to exhaust hood, allowing volatile portion to escape. Place absorbent material and residue into closed container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store in unopened containers under cool and dry conditions.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide sufficient local exhaust and general ventilation to maintain exposure below PEL(s), especially for spraying operations which produce mists.

PERSONAL PROTECTION

EYES AND FACE: NA = Not Applicable

SKIN: NA = Not Applicable

RESPIRATORY: Use NIOSH/MSHA approved air supplied respirator in absence of proper environmental control.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mildly scented.

APPEARANCE: Thin yellow fluid.

COLOR: Yellow.

VAPOR DENSITY: Heavier

BOILING POINT: (212°F)

SOLUBILITY IN WATER: Soluble

SPECIFIC GRAVITY: 1.0

COMMENTS:

EVAPORATION RATE: Same as water.

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

INCOMPATIBLE MATERIALS: Strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

COMMENTS: NA = Not Applicable

12. ECOLOGICAL INFORMATION

COMMENTS: NA = Not Applicable

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations. Do not pour liquid down drains or sewers.

14. TRANSPORT INFORMATION

COMMENTS: NA = Not Applicable

15. REGULATORY INFORMATION

GENERAL COMMENTS: NA = Not Applicable

16. OTHER INFORMATION

APPROVAL DATE: 11/26/2002

REVISION SUMMARY New MSDS

NFPA CODES

FIRE: 0 **HEALTH:** 0 **REACTIVITY:** 0

HMIS CODES

FLAMMABILITY: 0 **HEALTH:** 0 **PHYSICAL HAZARD:** 0

MANUFACTURER DISCLAIMER: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing

is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.